PEMKO BRUSH GASKETING



CONTENTS:

180° Aluminum Retainers 164
180° Concealed Fastener Retainers 165
90° Aluminum Retainers 166
45° Concealed Fastener Retainers 166
Mortise Retainers 168
Aluminum Retainer with Rain Drip 168
Oak Retainers 168
Meeting Stiles 169

NOTE: For Automatic Door Bottoms with Nylon Brush seals, please see Automatic Door Bottom catalog section.

INDEX:

PRODUCT	PAGE
345	168
3452	168
5025	168
5041	168
5061	168
5100	168
18041	165
18041	169
18050	165
18061	165
18061	169
18062	165
18062W	168
18100	165
18100W	168
18137	164
18175	164
18250	164
18400	164
29324	165
29324	169
29326	165
29326	169
29344	166
29346	166
45041	167
45061	167
45062	167
45100	167
45137	167
45175	167
45250	167
45400	167
90041	166
90062	166
90100	166
90137	166
293100	165

NOTE: For Automatic Door Bottoms with Nylon Brush seals, please see Automatic Door Bottom catalog section.

800-824-3018 | www.pemko.com

Check the web site for the up-to-date catalog

Copyright © 2015-2025, ASSA ABLOY Accessories and Door Controls Group, Inc., an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

PEMKO
ASSA ABLOY


Experience a safer and more open world

180° ALUMINUM RETAINERS

- All brush seals consist of densely compressed nylon filaments encased in a high quality aluminum retainer. These products are ideally suited for hollow metal and wood door applications. Also use Pemko's brush weatherstripping product on overhead, section, sliding, and automatic doors
- All brush seals reduce the infiltration of light, air, wind, rain, and snow; prevent heat loss; and control the penetration of smoke and fumes
- Brush remains flexible down to -40°F and has a melting point above 400°F
- UV stable, dependable, long-lasting, cost-effective
- Punched with slotted holes for adjustment (except 35° angle types which are drilled with 1/8" hole)
- Naturally repels rodents and spiders; can be sprayed with household pest repellent for additional pest control


18137_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, G, PW, WSP
REPLACEMENT INSERT:
P38137 (BL, GR, W)
ANSI: **R3A434**




18175_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P58175 (BL, GR)
ANSI: **R3A434**




18250_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P58250 (BL, GR)
ANSI: **R3A434**



18400_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P58400 (BL, GR)
ANSI: **R3A434**




NOTE: Products shown in this section may not be drawn to scale.

AVAILABLE FINISHES FOR PRODUCTS SHOWN ON THIS PAGE
10BE (Satin Bronze Powder Coat) **BSP** (Black Suede Powder Coat) **C** (Clear Anodized)
D (Dark Bronze Anodized) **G** (Gold Anodized) **PW** (Painted White) **WSP** (White Suede Powder Coat)


Copyright © 2015-2025, ASSA ABLOY Accessories and Door Controls Group, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

180° ALUMINUM RETAINERS *(Cont.)*


18041_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, G, PW, SN, WSP
REPLACEMENT INSERT:
P516041 (BL, GR)
ANSI: **R3A134, R3A164, R3A734**




18050_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, G, PW, SN, WSP
REPLACEMENT INSERT:
P516050 (BL, GR)
ANSI: **R3A434, R3A734**




18061_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, G, PW, SN, WSP
REPLACEMENT INSERT:
P516062 (BL, GR, W)
ANSI: **R3A434, R3A734**



18062_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, G, PW, WSP
REPLACEMENT INSERT:
P38062 (BL, GR, W)
ANSI: **R3A434**



18100_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, G, PW, WSP
REPLACEMENT INSERT:
P38100 (BL, GR)
ANSI: **R3A434**




Alternate Inserts For 18041

18041_SB
AVAILABLE FINISHES: **10BE, BSP, C, D, G, PW, SN, WSP**
REPLACEMENT INSERT: **P3 (BL, GR)**


soft brush (**SB**)

Alternate Insert For 18100


18100_NBE
AVAILABLE FINISHES: **BSP, C, D, G, WSP**
REPLACEMENT INSERT: **P38100E (BL)**
ANSI: **R3A434**




180° CONCEALED FASTENER RETAINERS

- Aluminum snap cover conceals mounting screws to provide a clean aesthetic appearance
- Replacement snap cover is item _29316; when ordering, identify finish and length
- Cover snaps securely into place to deter vandalism


293100_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P516100 (BL, GR, W)
ANSI: **R3A434**



29326_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, G, WSP
REPLACEMENT INSERT:
P516062 (BL, GR, W)
ANSI: **R3A434**



29324_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, G, WSP
REPLACEMENT INSERT:
P516041 (BL, GR)
ANSI: **R3A434**




Alternate Insert For 29324

29324_SB
AVAILABLE FINISHES: **10BE, BSP, C, D, WSP**
REPLACEMENT INSERT: **P3 (BL, GR)**



soft brush (**SB**)

Alternate Inserts For 293100

293100_V
AVAILABLE FINISHES:
BSP, C, D, G, WSP
REPLACEMENT INSERT:
EV54 (BL, GR, W)



293100_NBE
AVAILABLE FINISHES:
BSP, C, D, G, WSP
REPLACEMENT INSERT:
P516100E (BL)



NOTE: Products shown in this section may not be drawn to scale.

AVAILABLE FINISHES FOR PRODUCTS SHOWN ON THIS PAGE
10BE (Satin Bronze Powder Coat) **BSP** (Black Suede Powder Coat) **C** (Clear Anodized)
D (Dark Bronze Anodized) **G** (Gold Anodized) **PW** (Painted White) **SN** (Satin Nickel Anodized)
WSP (White Suede Powder Coat)


Copyright © 2015-2025, ASSA ABLOY Accessories and Door Controls Group, Inc., an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

PEMKO
ASSA ABLOY
Experience a safer and more open world


90° ALUMINUM RETAINERS

- Design permits use as a concealed seal for many applications
- Slotted holes for easy adjustment


90041_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P516041 (BL, GR, W)
ANSI: **R3A164, R3A414**




90062_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P516062 (BL, GR, W)
ANSI: **R3A164, R3A414**



90100_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P516100 (BL, GR, W)
ANSI: **R3A414**



90137_NB
AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P516137 (BL, GR, W)
ANSI: **R3A414**




Alternate Insert For 90041

90041_SB
AVAILABLE FINISHES: **10BE, BSP, C, D, WSP**
REPLACEMENT INSERT: **P3 (BL, GR)**



Alternate Insert For 90100


90100_NBE
AVAILABLE FINISHES: **BSP, C, D, WSP**
REPLACEMENT INSERT: **P516100E (BL)**
ANSI: **R3A414**
- For hollow metal doors with inverted channel




45° CONCEALED FASTENER RETAINERS

- Replacement snap cover is item _29316-.
  When ordering, identify finish and length

29344_NB
AVAILABLE FINISHES: **10BE, BSP, C, D, WSP**
REPLACEMENT INSERT: **P516041 (BL, GR)**
ANSI: **R3A164**



29346_NB
AVAILABLE FINISHES: **10BE, BSP, C, D, WSP**
REPLACEMENT INSERT: **P516062 (BL, GR, W)**
ANSI: **R3A164**



Alternate Insert For 29344

29344_SB
AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT: **P3 (BL, GR)**



NOTE: Products shown in this section may not be drawn to scale.

AVAILABLE FINISHES FOR PRODUCTS SHOWN ON THIS PAGE
10BE (Satin Bronze Powder Coat) **BSP** (Black Suede Powder Coat) **C** (Clear Anodized)
D (Dark Bronze Anodized) **WSP** (White Suede Powder Coat)


Copyright © 2015-2025, ASSA ABLOY Accessories and Door Controls Group, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

45° ALUMINUM RETAINERS

- Slotted holes for easy adjustment


45061_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P516062 (BL, GR, W)
ANSI: **R3A164**




45062_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P38062 (BL, GR, W)
ANSI: **R3A164**




45100_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P38100 (BL, GR)
ANSI: **R3A164**




45137_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P58137 (BL, GR, W)
ANSI: **R3A164**




45041_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P516041 (BL, GR)
ANSI: **R3A164**



Alternate Insert For 45100



45100_NBE

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P38100E (BL)
ANSI: **R3A164**

Alternate Insert For 45041


45041_SB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P3 (BL, GR)


soft brush (**SB**)


45175_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P58175 (BL, GR)
ANSI: **R3A164**




45250_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P58250 (BL, GR)
ANSI: **R3A164**



45400_NB

AVAILABLE FINISHES:
10BE, BSP, C, D, WSP
REPLACEMENT INSERT:
P58400 (BL, GR)
ANSI: **R3A164**



NOTE: Products shown in this section may not be drawn to scale.

AVAILABLE FINISHES FOR PRODUCTS SHOWN ON THIS PAGE
10BE (Satin Bronze Powder Coat) **BSP** (Black Suede Powder Coat) **C** (Clear Anodized)
D (Dark Bronze Anodized) **WSP** (White Suede Powder Coat)

800-824-3018 | www.pemko.com
Check the web site for the up-to-date catalog


Copyright © 2015-2025, ASSA ABLOY Accessories and Door Controls Group, Inc., an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

PEMKO
ASSA ABLOY
Experience a safer and more open world


MORTISE RETAINERS

- The ultimate design for concealed weatherstrip needs
- Can be used on doors, windows and more


5025_NB
AVAILABLE FINISH: **A**
REPLACEMENT INSERT:
P14025 (BL)




5041_NB
AVAILABLE FINISH: **A**
REPLACEMENT INSERT:
P516041 (BL, GR)



5061_NB
AVAILABLE FINISH: **A**
REPLACEMENT INSERT:
P516062 (BL, GR, W)




5100_NB
AVAILABLE FINISH: **A**
REPLACEMENT INSERT:
P516100 (BL, GR, W)



Alternate Insert For 5100

5100_NBE
AVAILABLE FINISH: **A**
REPLACEMENT INSERT:
P516100E (BL)



Alternate Insert For 5025 and 5041

5025_SB
AVAILABLE FINISHES: **A**
REPLACEMENT INSERT:
SB14025 (BL)


5041_SB
AVAILABLE FINISHES: **A**
REPLACEMENT INSERT:
P3 (BL, GR)




ALUMINUM RETAINER WITH RAIN DRIP

- Slotted holes for easy adjustment

345_NB
AVAILABLE FINISHES:
10BE, A, BSP, D, G, WSP
REPLACEMENT INSERT:
P14100 (BL, GR)
ANSI: **R3A534**




3452_NB
AVAILABLE FINISHES:
10BE, A, BSP, D, G, WSP
REPLACEMENT INSERT:
P14075 (BL, GR)
ANSI: **R3A534**




OAK RETAINERS 36" WIDE

- These products have 1/8" drilled fastener holes

18062WNB
AVAILABLE FINISH: **W**
REPLACEMENT INSERT:
P516062 (BL, GR, W)



18100WNB
AVAILABLE FINISH: **W**
REPLACEMENT INSERT:
P516100 (BL, GR)



NOTE: Products shown in this section may not be drawn to scale.

AVAILABLE FINISHES FOR PRODUCTS SHOWN ON THIS PAGE
10BE (Satin Bronze Powder Coat) **A** (Mill Finish Aluminum) **BSP** (Black Suede Powder Coat) **C** (Clear Anodized)
D (Dark Bronze Anodized) **G** (Gold Anodized) **W** (Unfinished Solid Oak) **WSP** (White Suede Powder Coat)


Copyright © 2015-2025, ASSA ABLOY Accessories and Door Controls Group, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

MEETING STILES

- Astragals and Meeting Stiles with a fire label may be mounted on pairs of doors wherein the gap meets the requirements of NFPA 80-2013, 6.3.1.7.1 **"The clearance between... the meeting edges of doors swinging in pairs on the pull side shall be 1/8" ± 1/16" (3.18mm ± 1.59mm) for steel doors and shall not exceed 1/8" (3.18mm) for wood doors"**
- Snap cover helps prevent vandalism and adds an attractive finished look by concealing the fasteners
- Replacement snap cover is item _29316. When ordering, identify finish and length
- NOTE: Although drawn with a gap between the brush, when installed, these brush products SHOULD make contact. Brush should mesh from 1/32" to 1/16"


18041_NB

AVAILABLE FINISHES: **10BE, BSP, C, D, G, SN, WSP**
REPLACEMENT INSERT: **P516041 (BL, GR)**
ANSI: **R3A734**



29324_NB

AVAILABLE FINISHES: **10BE, BSP, C, D, G, SN, WSP**
REPLACEMENT INSERT: **P516041 (BL, GR)**
ANSI: **R3A434, R3A435**



Alternate Insert For 18041

18041_SB
AVAILABLE FINISHES
10BE, BSP, C, D, G, SN, WSP
REPLACEMENT INSERT: **P3 (BL, GR)**




Alternate Insert For 29324

29324_SB
AVAILABLE FINISHES:
10BE, BSP, C, D, G, SN, WSP
REPLACEMENT INSERT: **P3 (BL, GR)**




18061_NB

AVAILABLE FINISHES: **10BE, BSP, C, D, G, SN, WSP**
REPLACEMENT INSERT: **P516062 (BL, GR, W)**
ANSI: **R3A734**



29326_NB

AVAILABLE FINISHES: **10BE, BSP, C, D, G, SN, WSP**
REPLACEMENT INSERT: **P516062 (BL, GR, W)**
ANSI: **R3A764, R3A765**



NOTE: Products shown in this section may not be drawn to scale.

AVAILABLE FINISHES FOR PRODUCTS SHOWN ON THIS PAGE
10BE (Satin Bronze Powder Coat) **BSP** (Black Suede Powder Coat) **C** (Clear Anodized)
D (Dark Bronze Anodized) **G** (Gold Anodized) **SN** (Satin Nickel Anodized) **WSP** (White Suede Powder Coat)

800-824-3018 | www.pemko.com
Check the web site for the up-to-date catalog

Copyright © 2015-2025, ASSA ABLOY Accessories and Door Controls Group, Inc., an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

PEMKO
ASSA ABLOY
Experience a safer and more open world